

**WR250X**

## ***The spirit of slide.***

An outstanding no-compromise Supermotard, the WR250X is based on Yamaha's champion WR-F and YZ-F off-road race bikes, and is built to deliver utter exhilaration - whether on city streets or twisty back roads.

Revvng hard all the way to 10,000 rpm, it's powered by a liquid-cooled, 4-valve, 4-stroke DOHC single-cylinder engine. With electronic fuel injection and a 6-speed gearbox, the WR250X runs hard and fast, while the 298 mm front disc and 230 mm rear disc scrub off speed at your command.

Compact, lightweight and brilliantly agile, it features 17 inch wheels with sticky sports tyres, aluminium frame, upside-down front forks and a link-type Monocross rear suspension system.

- Supermoto performance for the street
- Advanced competition specification
- 10,000 rpm single-cylinder engine
- Compact and lightweight with aluminium frame
- 17 inch wheels with sticky sports tyres
- Competition-quality suspension: Upside-down forks



## ***Conquer the urban jungle.***

At Yamaha we have a reputation for smashing through boundaries and taking it to the extreme. We've proven ourselves time and time again by winning competitions galore - and you can count on our legendary competition heritage and spirit for high-tech bikes that also deliver winning performances on the street.

A tough environment like the big city demands tough motorcycles. Nothing can take on the urban landscape like Yamaha's street bikes - engineering masterpieces that boast awesome technology, power, and agility. They'll get you where you want to go in a flash... and in spectacular style, too.





### Competitive edge

Adapted for paved surfaces, this is a no-compromise Supermoto based directly on our WR-F and YZ-F racers, which have won titles in every major dirt-bike championship going. It features a full-on, advanced competition spec: 10,000 rpm engine, aluminium main frame and race suspension.



### Awesome engine

The 4-valve, 4-stroke DOHC single-cylinder engine is the real deal: large diameter titanium intake valves and high-lift cams for high rpm levels, and it features ceramic-plated cylinder, forged piston and 6-speed gearbox. It's also liquid cooled for peak performance and fuel-injected for instant throttle response.



### Super-responsive chassis

This compact and lightweight motorcycle has incredibly agile handling thanks to the aluminium main frame, derived from the WR-F and YZ-F racers. Suspension is competition quality, with fully adjustable 46 mm upside-down forks and link-type Monocross rear suspension.



### Take to the streets

For pinpoint accurate handling on windy back roads, the 17 inch wheels sport sticky radial tyres both front and rear, while a mighty wave-type 298 mm front disc and 230 mm rear disc provide superb instant stopping power on city streets.



### Smooth and seamless

The electronic fuel injection system is designed to ensure strong, seamless power right across the rpm range, and delivers instant throttle response. The smooth operating clutch combines with a 6-speed gearbox for slick shifting and a gear to suit just about every road and off-road situation.



### Electric performance

The enduro-style digital dash will always keep you in the know - the trick digital display LCD speedo has a diagnostic function for the fuel injection system as well as stopwatch and distance compensation tripmeter. The electric start allows you to make the most of the bike's stunning acceleration.

Engine	
Engine type	liquid-cooled, DOHC, 4-stroke, 4-valves, Forward-inclined single cylinder
Displacement	250cc
Bore x stroke	77.0 mm x 53.6 mm
Compression ratio	11.8 : 1
Maximum Power	22.6 kW (30.7PS) @ 10,000 rpm
Maximum Torque	23.7 Nm 2.42(kg-m @ 8,000 rpm
Lubrication system	Wet sump
Carburettor	Electronic Fuel Injection
Clutch Type	multiple-disc coil spring, Wet
Ignition system	TCI
Starter system	Electric
Transmission system	Constant Mesh, 6-speed
Final transmission	Chain

Chassis	
Frame	Semi double cradle
Front suspension system	Telescopic forks
Front Travel	270 mm
Rear suspension system	Swingarm, (link suspension)
Rear Travel	265 mm
Front brake	Dual Discs, Ø 250 mm
Rear brake	Single Disc, Ø 230 mm
Front tyre	130/90-18 69R
Rear tyre	140/70R17M/C 66H

Dimensions	
Overall length	2,115 mm
Overall width	810 mm
Overall height	1,190 mm
Seat height	895 mm
Wheel base	1,425 mm
Minimum ground clearance	265 mm
Wet weight (including full oil and fuel tank)	136 kg
Fuel tank capacity	7.6 litres
Oil tank capacity	1.5 litres



## The winning combination

With Yamaha ownership, the excitement doesn't stop with your bike. To complete the picture we highly recommend genuine Yamaha Parts and Accessories.

We've developed a range of high quality, innovative riding gear, clothing and bolt-on accessories designed to offer enhanced performance and protection for you and your Yamaha. And bearing the Yamaha name, you're assured of quality, reliability and winning performance.

Yamalube® is our own range of high-tech lubricants. The lifeblood of Yamaha Engines, they are designed to carry on working effectively, no matter where you ride.

[www.yamaha-motor.co.uk/accessories](http://www.yamaha-motor.co.uk/accessories)



Always wear a helmet, eye protection and protective clothing. Yamaha encourage you to ride safely and respect fellow riders and the environment. Specifications and appearance of Yamaha products shown here are subject to change without notice and may vary according to requirements and conditions. For further details, please consult your Yamaha dealer. Please check availability of colours with your local Yamaha dealer.